

**PROCEEDINGS OF
THE FIRST NATIONAL CONGRESS OF MONITORING
AND FORECASTING IN PLANT PROTECTION**

14-15 February 2012

**Education Center of Jihad-e- Agriculture, Borujerd
Borujerd Agriculture and Natural Resources Research
Station
Borujerd, Iran**

**Edited by:
Dr A.A. Mohiseni
Eng. M. H. Kooshki**

**Proceedings of the first National Congress of Monitoring and
Forecasting in Plant Protection**
Typist: F. Sahranavard

**THE FIRST NATIONAL CONGRESS OF
MONITORING AND FORECASTING IN PLANT
PROTECTION**

14-15 February 2012

Eng. M. H. Kooshki (President)
Dr. A. A. Mohiseni (Scientific Secretary)
Eng. Gh. Dehbashi (Executive Director)
Mehdi Aghasi (Treasurer)

Table Contents

<u>Title</u>	<u>Page</u>
Pest	1
-Modeling demographic responses to constant temperatures in brown mite <i>Bryobia rubrioculus</i> (Acari: Tetranychidae) on apple.....	3
-A review on forecasting methods for the arthropod pests and determination a novel forecasting technique based on temperature-dependent developmental models	5
-Estimation thermal requirements and lower temperature thresholds for developmental stages of the pink stem borer, <i>Sesamia cretica</i> Led. (Lepidoptera: Noctuidae)	7
-Forecasting Based on Thermal Requirement of <i>Spodoptera exigua</i> (Lepidoptera: Noctuidae) in Khorasan Razavi Province, Iran	9
-Forecasting model of codling moth, <i>Cydia pomonella</i> L. (Lep.: Tortricidae) using calculate the thermal constant according to degree-hour.....	11
-Forecasting of key pest, cherry fruit fly, <i>Rhagoletis cerasi</i> L. (Diptera: Tephritidae) using degree-day model in North Khorasan Province	13
-Estimation of thermal requirements and lower temperature threshold of <i>Agonoscena bimaculata</i> using Degree-Day model	15
-Determination of lower thermal threshold of cherry fruit fly <i>Rhagoletis cerasi</i> L. (Diptera:Tephritidae) under laboratory conditions	17
-The population fluctuation of plum fruit moth (<i>Grapholitha funebrana</i>) in Mashhad, Golmakan and Nishabour and its relation with temperature and rainfall	19
-Pest and weed damage forecasting with application of “model farm”	21
-Effect of autumnal rainfall on emergence of diapausing first larval stage of cereal leaf miner moth <i>Syringopais temperatella</i> Led. (Lep.: Elachistidae) in cereal rain –fed fields.....	23
-The role of forecasting in evaluation of population fluctuation of vectors viral diseases in seed potato fields of Hamedan province.....	25
-Integrated management of potato tuber moth, The role of forecasting in <i>Phthorimaea operculella</i> Zeller in field and store.....	27
-Study on population fluctuation and control of plum fruit moth <i>Grapholitha funebrana</i> (Lep.:Tortricidae) in plum orchards in Hamedan	29

<u>Title</u>	<u>Page</u>
-Study on population fluctuation of <i>Diaphorina citri</i> (Psyllidae) to determine the best time of control in south Kerman	31
-Monitoring beet army worm, <i>Spodoptera exigua</i> (Hübner) (Lepidoptera: Noctuidae) in alfalfa farms of Hamedan area.....	33
-Peak flight determination of the second and third generation of Plum fruit moth <i>Cydia funebrana</i> (Lep.: Tortricidae), with Sex pheromone traps in plum orchards of the city suburbs Nahavand	35
-Peak flight determination of the second and third generation of codling moth <i>Cydia pomonella</i> (Linnaeus)(Lep.:Tortricidae) with Sex pheromone traps in apple orchards of the city suburbs Nahavand.....	37
-Study and comparison of pheromone traps in monitoring and forecasting of codling moth (Delta trap)	39
-Monitoring and forecasting of codling moth applying pheromone traps in Kakan of Boyer Ahmad.....	41
-Peak flight determination of Grape berry moth <i>Lobesia botrana</i> (Lepidoptera: Tortricidae) in Tiran orchards (Isfahan province) by pheromone trap	43
-Biology of codling moth, <i>Cydia pomonella</i> and determination of chemical fight time with sexual pheromone traps in Bukan region	45
-Statistical analysis of autumn early freezing and spring last freezing in Boroujerd county and its impact on agricultural pests, the city	47
-Methods for monitoring Oak forests pests in Lorestan province	49
-The Monitoring methods for wasps Oak gall inducers Hymenoptera: Cynipidae: Cynipini in Oak Forests	51
-Investigations on efficacy of various traps to monitoring of <i>Chrysobothris affinis</i> Mén. (Col.: Buprestidae) population in Ahwaz green landscape.....	53
-Population dynamics of Harmful rodents in agricultural fields in Lorestan.....	55
-Population fluctuation of turnip moth (<i>Agrotis segetum</i>) (Lep.: Noctuidae) by using sex pheromone traps in different colors and height	57
-A survey to the effect of forecasting in medical plant economic benefits of irrigated wheat in Lorestan	59

<u>Title</u>	<u>Page</u>
-Economic analysis of forecasting program for codling moth management, case study: Kakan dehestan (village area) of Boyer-Ahmad Shahrestan	
-The role of London rocket <i>Sisymbrium irio</i> L. "Brassicacea" in attraction of the false chinch bug <i>Nysius cymoides</i> Spinola "Het.: Lygaeidae".....	63
-Study the effects of weather stress and dust on date fruits pests and diseases severity.....	64
-A model for Injury threshold of the Grape leafhopper <i>Arboridia Kermanshah Delabola</i> (Hom.: Cicadellidae).....	67
-Decision making based on sequential sampling method for wheat IPM in Lorestan province.....	69
-Comparison of the two synthetic pheromones , Funemon and Orfamon, in attracting males of the plum fruit moth , <i>Grapholitha funebrana</i> Tr. (Lep.: Olethreutidae) .	71
-Determination of best sample universe of <i>Aphis faba</i> Scop. on broad bean fields of Veis region, Ahwaz	73
-Sequential sampling and population fluctuation of <i>Rhopalosiphum padi</i> (L.) in wheat fields of Badjgah (Fars Province)	75
-Sequential sampling and population fluctuation of grain aphid <i>Sitobion avenae</i> (Fabricus) in wheat fields of Badjgah (Fars province).....	77
-Sampling and estimation of egg population for <i>Sitona humeralis</i> Stephens (Coleoptera: curculionidae) in alfalfa fields.....	79
-Investigation the Population changes of Pear Lace Bug <i>Stephanitis pyri</i> (Fabricius) under environmental Conditions of Badjgah	81
-Population fluctuations and spatial distribution pattern of <i>Stephanitis pyri</i> (Fabricius) under environmental conditions of Badjgah	83
-Effect of sample unit size on the spatial distribution of <i>Tetranychus urticae</i> Koch Population using geostatistics in common bean fields	85
-Finding appropriate sample unit size for estimating population of <i>Shizaphis graminum</i> (Rondani)(Hom.: Aphididae) in wheat fields of Badjgah region with geostatistical method.....	87

<u>Title</u>	<u>Page</u>
-Population fluctuation and geostatistical analysis of <i>Rhopalosiphum padi</i> L. (Hom.: Aphididae) in wheat fields of Badjgah region (Fars province).....	89
-Morphbiological study of garlic moth, <i>Dyspessa ulula</i> Staudinger (Lepidoptera: Cossidae) in Hamedan garlic fields	91
-Plant protection against insects by RNA interference approach.....	93
-Natural enemies of elm gall aphid (<i>Tetraneura ulmi</i>) in Badjgah.....	95
-Life table and reproductive parameters of <i>Helicoverpa armigera</i> (Lepidotera: Noctuidae) in response to feeding on different host plants	97
-Nutritional indices of the cotton bollworm, <i>Helicoverpa armigera</i> (Hübner) on different host plants	99
-Use of plant essential oils as pheromones in insect control	101
-Integrated use of Fertilizers and live agents for frost forecasting in apricot gardens (In Borujerd)	103
Effect of some larval diets on development of Mediterranean fruit fly, <i>Ceratitis capitata</i> Weid. (Dip.: Tephritidae) under laboratory condition.....	105
-Fumigant Toxicity of four Plant species Essential oils on Adults <i>Oryzaephilus surinamensis</i> L. (Coleoptera: Silvanidae)	107
-Fumigant toxicity of four essential oil on two species of adult flour weevil.....	109
-The effect of some adult diets on longevity and fecundity of Mediterranean fruit fly, <i>Ceratitis capitata</i> Weid. (Dip.: Tephritidae).....	111
-Evaluation different control methods of <i>Deroceras agreste</i> (Linne, 1758) (Stylommatophora:Agriolimacidae) in Citrus orchards of Mazandaran Province...	113
-Investigation on the effect of <i>Bacillus thuringiensis</i> in control of <i>Labesia botrana</i> (Lep.:Tortricidae) in Borujerd	115
-Cannibalism in <i>Scolothrips longicornis</i> (Thsanoptera: Thripidae), <i>Neoseiulus californicus</i> and <i>Typhlodromus bagdasarjani</i> (Acari: Phytoseiidae) under laboratory conditions	117
-Comparison of population growth parameters of <i>Helicoverpa armigera</i> (Lep.: Noctuidae) at sublethal concentrations of <i>Bacillus thuringiensis</i> Berliner subsp. <i>kurstaki</i>	119

<u>Title</u>	<u>Page</u>
-Reproductive performance and life expectancy of <i>Tetranychus urticae</i> (Acari: Tetranychidae) on seven eggplant cultivars.....	121
-Biology and survivorship of adult females of <i>Typhlodromus bagdasarjani</i> (Acari: Phytoseiidae) on two-spotted spider mite reared on susceptible and resistant eggplant cultivars.....	123
-Petroleum spray oils versus Confidor, Dorsban and Abamectin for control of <i>Phyllocnistis citrella</i> in Northern Iran	125
-Comparison of <i>Phyllocnistis citrella</i> Stainton (Lep.: Gracillariidae) abundance in citrus orchards treated with mineral oils and synthetic pesticides.....	127
-Ovicidal activity of nano-encapsulated essential oil of <i>Carum copticum</i> on diamondback moth <i>Plutella xylostella</i>	129
-Inhibition of growth of five plant essential oils on a commercial form of the bacterium <i>Bacillus thuringiensis</i> subsp. <i>kurstaki</i>	131
 Plant Pathology and Environmental Stresses.....	133
-Model of relationship between <i>Pyricularia grisea</i> spore populations and meteorological factors by Artificial Neural Network in Guilan province.....	135
-Attempt to forecasting of potato late blight in Gorgan.....	137
-The importance of climate condition (temperature and moisture) in forecasting of fungal disease agents of garlic in Hamedan province	139
-Review of forecasting methods for <i>Sclerotinia</i> stem rot of canola	141
-Study on Barberry <i>Acium</i> stage infection in Lorestan Province and introduction to its role in wheat black stem rust forecasting.....	143
-Forecasting and Monitoring of Banana Bacterial Diseases in Balochistan.....	145
-Monitoring and identification of the causal agent Bacterial soft rot of Banana corm in Iran	147
-Study on the effects of climatic condition on incidence of wheat yellow rust in Hamedan province	149
-Temporal analysis of <i>Alternaria</i> blight disease epidemic on different species of Brassica in Gonbad region.....	151

<u>Title</u>	<u>Page</u>
-Population changes of vector of Sesame Phyllody (<i>Circulifer haematoceps</i>) and its relation with disease incidence in Khuzestan Province.....	153
-Application of Geographic Information System for the Spatial Distribution of <i>Macrophomina phaseolina</i> in Soybean Fields of Golestan	155
-Comparison of Two Interpolation Methods for Spatial Analysis of <i>Macrophomina phaseolina</i> in Golestan Province	157
-Adaptation of chickpea to frost and drought stress in respect to ascochyta blight resistance in plant breeding in lorestan province	159
-Technological implication of natural products in plant diseases management with special emphasis on green mold of butoom mushroom.....	161
-Effect of essential oils of five plant species in controlling of green mold disease of button mushroom <i>in vitro</i>	163
-Impact of Charcoal rot on different soybean cultivars yield in Golestan province.	165
-Study the causal agents of potato soft rot and black leg disease in fields of Golestan province.....	167
-Evaluation of effects of different fungicides as seed treatment on controlling baley leaf stripe in Golestan province.....	169
-Evaluation of resistance of different baley genotypes against leaf stripe in Golestan province	171
-Crop loss assessment Alternaria blight disease on different species of Brassica in Gonbad region.....	173
-Evaluation of soybean maturing groups to charcoal rot disease in Golestan province	175
-Selection of chickpea (<i>Cicer Arietinum</i> L.) genotypes for Resistance to Ascochyta Blight, yield and yield components.....	177
-Using Seed Health testing for forecasting Seed Borne Diseases in Seed Production fields	179
-Evaluation of Wheat Seed Health Status, Relating to Wheat Common Bunt Disease in Lorestan Province to Find Healthy Soils	181

<u>Title</u>	<u>Page</u>
-Comparison of Eucalyptus (EC formulation) and Mancozeb in controlling <i>Alternaria</i> leaf spot of potato (<i>Alternaria alternata</i>) under green house condition	183
-Identification of Plant Pathogenic Bacteria in Cucurbitaceae in Khuzestan and Zanjan Provinces	185
-Evaluation of some <i>Trichoderma</i> isolates in biological control of potato Fusarium wilt (<i>Fusarium solani</i>) under lab. & green house conditions	187
-Evaluation of infection level of barley seeds against loose smut disease for reduction of fungicides used and development of national seed standard	189
-Infestation level of barley commercial cultivars seed against cover smut disease for developing national seed standard and reducing fungicide used	191
-Investigation of infection rate of wheat commercial cultivars seed than common bunt caused by <i>Tilletia laevis</i> in order to issuing wheat seed national standard	193
-Evaluation of wheat seed health status, relating to wheat common bunt disease of province of kurdistan to find uninfected soils intended to reduction pesticide used	195
-Investigation on effect of mycoflora of canola (<i>Brassica napus</i>) on seed germination.....	197
-The effect of salinity stress on the germination features of two varieties of crop wheat (<i>Triticum aestivum</i> L.) Sardari and Marvdasht in Lorestan	199
-The economical loss in tomato greenhouse of Khorasan province.....	201
-Studies on the effects of Soil – solarization in controlling Root – knot nematode (<i>Meloidogyne</i> spp.) in potato fields Khorasan Razavi Province	203
-Foliar sprays of beta - aminobutyric acid on enzymes of melon root rot caused by <i>Phytophthora melonis</i>	205
-Preliminary study of using nematode parasites of insects (Nematodes: Entomopathogenic) to control of maize borer (<i>Ostrinia nubilalis</i>)	207
-The rol of grafting on control of root knot nematode (<i>Meloidogyne javanica</i>) in greenhouse tomato cultivation	209
-Study of enviromnetal coldness effects on new wheat cultivars in Borujerd temprate region	211

<u>Title</u>	<u>Page</u>
-Investigation effect of biological fertilizers at different levels of chemical fertilizer (N.P.K) to decrease of Persian clover sooty blotch (<i>Cymadothea trifolii</i> Pers & Wolp (1935)) on <i>Trifolium rosapinatum</i> L.....	213
-Relative efficiency of biological fertilizers to chemical fertilizers application on rust clover (<i>Uromyces trifolii</i> -Repentis-Cast.Liro) damage.	215
-Study and selection of Faba Bean advanced lines and tolerable to Ascochyta blight.....	217
-Identification of virulence factors of <i>Puccinia triticina</i> , the causal agent of wheat leaf rust in Borujerd by trap nursery	219
-Study on red bean genotypes to forecast drought tension in Borujerd region	221
-Applied methods to forecasting and prevention of frostbite of walnut fruit	223
 Weeds.....	225
-Prediction of weed seedling emergence (<i>Chenopodium album</i>) (<i>Echinochloa crus-galli</i>), in common bean (<i>Phaseolus vulgaris</i> L.).....	227
-Pre awareness of weed management in lentil (<i>Lens culinaris</i>) farms in Khorramabad	229
-Can empirical models predict yield loss of a crop competing with weed under water stress condition?	231
-Periodic monitoring of dryland wheat weed flora in Borujerd	233
-Study population dynamics and distribution of weeds in fields of Common bean (<i>Phaseolus vulgaris</i>) lorestan province	235
-The allelopathic effects of <i>Helianthus annuus</i> L. on germination, lipid peroxidation and alpha- amylase activity of <i>Panicum eruciferum</i> , <i>Sorghum halapense</i> and <i>Echinochloa cruss-galli</i>	237
-Effects of mixture herbicides and nitrogen application time on controlling of wild oats (<i>Avena Fatua</i>) in Wheat (<i>Triticum aestivum</i>) in Ahvaz region.....	239
-Effects of chemical herbicides on soybean nodulation	241
-Study of germination and morphological characteristics of <i>portulaca oleracea</i> Plantlet Affected by <i>Lavandula angustifolia</i> and <i>Amaranthus retroflexus</i> aqueous extract .	243

<u>Title</u>	<u>Page</u>
-Investigation on the effect of <i>Amaranthus retroflexus</i> and <i>lavandula angostifolia</i> aqueous extract allelopathy on germination and degradation of cellular membrane in <i>Sorghum halepense</i> Plantlet	245
-Efficacy of herbicides to control weeds in Lentil (<i>Lens culinaris</i>)	247
-Investigation the allelopathic effects of aqueous extracts of sunflower on germination and catalase enzyme activity in wild mustard (<i>Sinapis arvensis</i>) and Johnson grass (<i>Sorghum halepense</i>)	249
-The allelopathic potential of canola (<i>Brassica napus</i> L.) for <i>Hordeum spontaneum</i> management.....	251
-Study of allelopathic potential of canola (<i>Brassica napus</i> L.) residues on <i>Bromus tectorum</i> and <i>B. tomentellus</i> as a serious weed	253
-Evaluation of crop seeding rate on interference of weeds in Mung bean (<i>Vigna radiata</i>) in Khorramabad	255
-Evaluation of the effects of primary tillage and sowing method on weeds population dynamic of chickpea field in Khoramabad, Lorestan	257
-Investigation on the effect of post-emergence herbicides on Wild beet (<i>Amaranthus retroflexus</i> L.) and their effect on yield of two sesame (<i>Sesamum indicum</i>) cultivars in Khozestan province condition	259
-Investigation on the effect of post-emergence herbicides on Common purslane (<i>Portulaca oleracea</i> L.) and sesame (<i>Sesamum indicum</i>) yield in khozestan province.....	261
-Effect of weeding time and plant density on some characteristics of red bean varieties of Sayad in Azna	263
-Optimization of <i>Sphneoclea zyglanica</i> weed control through monitoring and broadleaf herbicides application in rice fields of Khuzestan province	265
-Effects of Nicosulfuron and rounds of irrigation on lesser bind weed (<i>Convolvulus arvensis</i>) in Dezful condition	267
-Comparing the effects of three herbicides granstar, 2-4-D and dyalen super on broadleaf weeds in wheat fields of Brojerd.....	269

«Author Index»

«A»

Abasipour, H.7
Abbasi, M. 143
Abbassi, F. 251, 253
Abootorabi, E 207, 209
Afsahi, K. 227
Afshari, A. 105, 111
Afshari, F. 229
Aghajani, M.A. 137, 141, 151,
155, 157, 165, 169, 171, 173,175
Ahmadi, A. 229, 247
Ahmadi, E. 113
Ahmadi, R.A. 223
Ahmadi, Z. 105, 111
Ahmadiyan Yazdi, A. 19, 201,
203, 71
Ahmadvan, R. 217
Aleosfoor, M. 57, 75, 77, 79, 81,
83, 87, 89, 95
Alichi, M. 57, 75, 77, 79, 81, 83,
87, 89, 95
Alizadeh, A. 134
Amani, M. 145, 147
Aminkhaki, S. 189, 191
Amiri Yarahmadi, B. 23
Amjady, E. 253
Ardakani, M.R. 213, 215
Ariafar, A.H. 269
Arjmandian, A. 139, 149
Aryafar, A. 59
Aryafar, A.H. 103, 115
Aryannia, N 259, 261
Asadi Rahmani, H. 213, 215
Asali Fayaz, B. 29, 33
Asghar Talebi, A. 9
Askarianzade, A.7

Astaraki, H. 221
Azad, A.R. 87, 89
Azimi Mogadam, M.R.227
Azimi, S.M. 21

«B»

Bromand, S.47
Beiranvandi, M. 229, 235, 247,
255
Behmanesh, M. 79, 95
Bazoobandi, M. 17, 229, 235, 247,
255
Bande Boroojeni, S. 197
Bagheryzadeh, M. 259, 261, 265,
267
Babolhavaeji, H. 91

«D»

Dadpasand, M. 81, 83
Damavandian, M. R. 125, 127
Dehghani, A. 143, 153
Delfi, M. 239
Dinarvand, F. 199

«E»

Emami, F. 57, 81, 83
Eskandari, A. 201
Esmailnezhad, E. 251, 253
Espo, E. 241

«F»

Fallahi, H.A. 169, 171
Fallahi, M. 13
Fallahnejad-mojarrad, N.15, 97, 99

Faraji, A. 151, 173
Farajpor Khanaposhtany, M. 241
Farazmand, A. 117
Farhoudi, R. 237, 243, 245, 249,
Fathipour, Y 9, 99, 97, 117, 119,
121, 123,

«G»

Ghaedrahmati, M. 93
Gharabadiyan, F. 19, 71, 93, 201,
203
Ghasemi, M. 151, 165, 173, 175
Ghaseminejad, P. 59, 103
Ghiasvand, M. 55, 233, 235, 255,
257,
Gholami, S. 59, 115
Gholamrezai, S. 247
Ghorbani, M. 205
Ghorbany, R. 251
Gitti, M. 139
Goldasteh, Sh. 11
Gorji, A.H. 221

«H»

Hadavand, N. 263
Hajiqanbar, H. 121, 123
Hamzeh Zarghani, H. 75, 77, 89,
231
Hasanvand, A. 235
Hashemi, S.M. 45
Hashemifesharaki, S. 189, 191
Hassani Modabady, M. 145
Hatami, N 11
Hayatolghheibi, S. M. 255, 257
Heidari Alizadeh, B. 183
Hezarjaribi, E. 165, 175
Hojjati, M. 85
Hooshmandi, M. 57, 81, 83

Hossienalizadeh Khorasani. T 39,
41, 61,
Hozhabrpoor, Gh.47

«J»

Jabaleh, Isa 131
Jafari, R. 103, 115
Jamal, M. 129
Jamali, S. 201
Javadi Khederi, S. 3, 29, 33, 91
Javanmard, M. 35, 37
Jemsi, G.R. 23

«K»

Kamali, H. 13, 15, 17, 97, 99, 117
Karami, S. 179, 181, 189, 191, 195
Karimi-Malait, A. 9
Karimi Roozbahani, H. 241
Kazem Aslani, H. 263
Kazemeini, S. A. 77, 89, 231
Keshavarz Tohid, V. 197
Khajeh Ali, J. 67
Khajoenejad, M. 15
Khaledi, M. 59
Khalili, M. 263
Khanamani, M. 121, 123
Khorasanizadeh, M. 23, 63
Khanjani, M. 3, 29, 33, 91
Kiaeian moosavi, F. 125, 127
Kocheily, F. 107
Kolyaee, R. 17
Kooshki, M.H. 217

«L»

Lak, M.21
Lari Yazdi, H. 199
Latifian, M. 65, 67, 69, 145, 147

Lorzadeh, S. 259, 261
Lorzadeh, Sh. 239

«M»

Madadi, H. 43
Mafi, Sh.A. 105
Maghsodloo, H. 137
Mahdizadehnaraghi, R. 139
Mahmoodvand, S. 109
Mamashli, M. 167
Mamnoie, E. 31
Marzangi, J.45
Mehdyzadeh, A. 241
Mehrddad, A. 233, 235
Mehrnejad, M.R 15
Mirshekari, B. 213, 215
Mirzaei, M. 61
Modhej, A. 243, 245
Mohaghegh Nishaboori, J. 63
Mohammadi Goltapeh, E. 161, 163
Mohammadi, H. 41, 39
Moharrampour, S. 129
Mohiseni, A.A. 11, 23, 63, 75, 77, 85, 87, 89
Mojerlou, Sh. 135
Mokhtari, F. 43
Momenpor, Gh.47
Mousanejad, S. 135
Mousavi, Seid Karim 233

«N»

Nabati, E.A. 63, 211, 219
Naderi, S. 243, 245
Nakhjavan, Sh. 221
Nasrollahi, M. 63, 213, 215, 217, 219
Nasrollahnejad, S. 167

Negahban, M. 129
Nikpour, F. 161, 163

«O»

Osdaghi, E. 185, 187
Osroosh, S. 179, 181, 189, 191

«P»

Pargal, F. 193,195
Parsa, S. 257
Pezeshkpour, P. 159, 177
Pirhadi, A. 23, 63, 211, 233
Piri, M.A. 227
Pirouzi, F. 49, 51
Pourafshar, Sh. 249
Pourhadian, H. 263

«R»

Rostami, M. 229
Roobahani, Z. 107
Rezaeefard, Sh. 59, 115, 103
Rashidi, V. 213, 215
Ranji, A. 241
Ranjbar, S. 31,
Ranjbar Aghdam, H. 5, 7
Rajabpour, A. 53, 73
Rahjo, V. 215
Rahimian, H. 167
Radjabi, Gh. 11
Rabbaninasab, H. 143

«S»

Saberfar, F. 35, 37
Sabzali, A. 59, 103
Saeed Mosadegh, M. 107
Saeedipoor, S. 239, 249

Safaie, N. 135, 155, 157, 161, 163
Safaralizadeh, M. 45
Sagvand, N. 199
Saidinejad, M. R. 173
Saidinejad, S.M.R. 165,175
Salehabadi S. 131
Samadollah, K. 193
Satari, M. 115, 269
Sedaratian, A. 15, 119, 121,123,
Sedighian, N, 185
Serajeh, M. 131
Seyedoleslami, H. 67
Shaban, M.21
ShabanAli Mafi, A. 111
Shafiee, A.M. 35, 37
Shahverdi, M. 63, 213, 215
Shakarami, J. 107, 109
Shams bakhsh, M 185
Shams, G. 193, 195
Shams, R. 43
Shekarian Moghadam, B. 23
Shokohi, Y. 45
Siahmansour, H. 221
Sodagar Hashemi Khajeh, T. 151,
169, 171
Soltani Ghasemlo, V. 75, 77, 83
Soltani Orang, F.7
Soltani, H. 25, 27
Soltani, R. 179, 181
Solymanipari, M.J. 205
Sori, N. 257

«T»

Tabib, M.H. 239, 259,
261,265,267
Taghizadeh, M. 153,167
Tahmasebi, H. 257
Talaee-Hassanloui R. 119
Taliei, F. 155, 157
Tavakoli, M. 49, 51
Termechi, I. 85
Torkaman, M. 149

«V»

Vafaei Shoushtari, R 85, 109
Valizadeh, A 207
Valzi, J. 45
Vasighzade, A. 205

«Y»

Yarahmadi, F. 53, 73
Yazdanian, M. 105, 111
Yuosefi, A.R. 227

«Z»

Zafari, D. 187, 205
Zahiri, B. 3, 91
Zaker, M. 183
Zallaghi, S. 237
Zandi, M. 129
Zandi-Sohani, N. 101
Zaremanesh, H. 255